



Basic T-Type drawing shown on the left.

STAINLESS STEEL HOUSING CHART



MODEL NUMBER	HOUSING TYPE	MATERIALS	MAXIMUM PSIG	INTERNAL VOLUME	HEAD DIAMETER	OVERALL LENGTH	PORT SIZE	DRAIN
110	T-Type	Stainless Steel	5000	20	1.42	3.23	1/8"	1/8"
110HP	T-Type	Stainless Steel	10000	26	2.56	4.13	1/8"	1/8"
112	T-Type	Stainless Steel	5000	20	1.42	3.23	1/4"	1/4"
112HP	T-Type	Stainless Steel	10000	26	2.56	4.13	1/4"	1/4"
114	T-Type	Stainless Steel	5000	20	1.42	3.23	1/8"	none
114HP	T-Type	Stainless Steel	10000	26	2.56	4.13	1/8"	none
116	T-Type	Stainless Steel	5000	20	1.42	3.23	1/4"	none
116HP	T-Type	Stainless Steel	10000	26	2.56	4.13	1/4"	none
116IL	In-Line	Stainless Steel	5000	18	1.26	3.11	1/4"	none
120	T-Type	Stainless Steel	5000	30	1.42	4.21	1/8"	1/8"
120B	T-Type	Stainless Steel	5000	35	1.75	3.74	1/8"	1/8"
120HP	T-Type	Stainless Steel	10000	40	2.56	5.12	1/8"	1/8"
122	T-Type	Stainless Steel	5000	30	1.42	4.21	1/4"	1/4"
122B	T-Type	Stainless Steel	5000	35	1.75	3.74	1/4"	1/4"
122B4	T-Type	Stainless Steel	5000	35	1.75	3.74	1/4"	1/4"
122HP	T-Type	Stainless Steel	10000	40	2.56	5.12	1/4"	1/4"
122LB	T-Type	Stainless Steel	5000	60	1.42	1.54	1/4"	1/4"
124	T-Type	Stainless Steel	5000	30	1.42	4.21	1/8"	none
124HP	T-Type	Stainless Steel	10000	40	2.56	5.12	1/8"	none
126	T-Type	Stainless Steel	5000	30	1.42	4.21	1/4"	none
126HP	T-Type	Stainless Steel	10000	40	2.56	5.12	1/4"	none
126IL-3	Fast Loop	Stainless Steel	5000	28	1.96	3.80	1/4"	none
126LB	T-Type	Stainless Steel	5000	60	1.42	1.54	1/4"	none
127G	T-Type	SS / Pyrex	100	39	1.58	4.29	1/4"	1/8"
127GCP	T-Type	SS / Pyrex	100	39	1.58	4.29	1/4"	1/8"
130	T-Type	Stainless Steel	1500	110	2.52	5.16	1/4"	1/4"
132	T-Type	Stainless Steel	1500	110	2.52	5.16	1/2"	1/4"
132HP	T-Type	Stainless Steel	3000	115	2.95	5.16	1/2"	1/4"
132HHP	T-Type	Stainless Steel	6000	160	3.34	6.46	1/2"	1/4"
134	T-Type	Stainless Steel	1500	110	2.52	5.16	1/4"	none
136	T-Type	Stainless Steel	1500	110	2.52	5.16	1/2"	none
136IL	In-Line	Stainless Steel	1500	100	1.89	4.84	1/2"	none
136IL-3	Fast Loop	Stainless Steel	1500	100	2.50	4.5	1/2"	none
137	T-Type	Stainless Steel	150	110	2.20	4.49	1/4"	1/8"
137G	T-Type	SS / Pyrex	100	110	2.20	4.49	1/4"	1/8"
137GB	T-Type	SS / Pyrex	100	160	2.60	4.76	1/4"	1/8"
137GCP	T-Type	SS / Pyrex	100	110	2.20	4.49	1/4"	1/8"
137OP	T-Type	Stainless Steel	200	110	2.20	4.49	1/4"	1/8"
137SOP	T-Type	Stainless Steel	200	110	2.20	4.49	1/4"	1/8"
138	T-Type	Stainless Steel	150	110	2.20	4.49	1/2"	1/8"
138G	T-Type	SS / Pyrex	100	110	2.20	4.49	1/2"	1/8"

United Filtration Systems, Inc
 6558 Diplomat Drive Sterling Heights, MI 48314
 T 586-802-5561 F 586-802-5562
 S sales@ufs-hf.com W www.ufs-hf.com
 FINE FILTRATION FOR INDUSTRY

STAINLESS STEEL HOUSING CHART



MODEL NUMBER	HOUSING TYPE	MATERIALS	MAXIMUM PSIG	INTERNAL VOLUME	HEAD DIAMETER	OVERALL LENGTH	PORT SIZE	DRAIN
138GB	T-Type	SS / Pyrex	100	160	2.60	4.76	1/2"	1/8"
138GCP	T-Type	SS / Pyrex	100	110	2.20	4.49	1/2"	1/8"
138OP	T-Type	Stainless Steel	200	110	2.20	4.49	1/2"	1/8"
138SOP	T-Type	Stainless Steel	200	110	2.20	4.49	1/2"	1/8"
140	T-Type	Stainless Steel	1500	265	2.52	9.69	1/4"	1/4"
142	T-Type	Stainless Steel	1500	265	2.52	9.69	1/2"	1/4"
142HP	T-Type	Stainless Steel	3000	300	2.95	9.69	1/2"	1/4"
142HHP	T-Type	Stainless Steel	6000	320	3.34	10.86	1/2"	1/4"
144	T-Type	Stainless Steel	1500	265	2.52	9.69	1/4"	none
146	T-Type	Stainless Steel	1500	265	2.52	9.69	1/2"	none
146IL	In-Line	Stainless Steel	1500	260	1.89	9.33	1/2"	none
146IL-3	Fast Loop	Stainless Steel	1500	240	2.50	9.00	1/2"	none
147	T-Type	Stainless Steel	150	250	2.20	9.06	1/4"	1/8"
147G	T-Type	SS / Pyrex	100	250	2.20	9.06	1/4"	1/8"
147GB	T-Type	SS / Pyrex	100	320	2.60	9.13	1/4"	1/8"
147GCP	T-Type	SS / Pyrex	100	250	2.20	9.06	1/4"	1/8"
148	T-Type	Stainless Steel	150	250	2.20	9.06	1/2"	1/8"
148G	T-Type	SS / Pyrex	100	250	2.20	9.06	1/2"	1/8"
148GB	T-Type	SS / Pyrex	100	320	2.60	9.13	1/2"	1/8"
148GCP	T-Type	SS / Pyrex	100	250	2.20	9.06	1/2"	1/8"
150	T-Type	Stainless Steel	1500	1500	4.52	14.75	1"	1/4"
151	T-Type	Stainless Steel	1500	1500	4.52	15.58	1 1/2"	1/4"
152	T-Type	Stainless Steel	1500	1500	4.52	15.58	2"	1/4"
150HP	T-Type	Stainless Steel	3000	1500	4.72	14.49	1"	1/4"
151HP	T-Type	Stainless Steel	3000	1500	4.72	14.49	1 1/2"	1/4"
152HP	T-Type	Stainless Steel	3000	1500	4.72	14.49	2"	1/4"
150HHP	T-Type	Stainless Steel	6000	1500	6.46	15.75	1"	1/4"
151HHP	T-Type	Stainless Steel	6000	1500	6.46	15.75	1 1/2"	1/4"
152HHP	T-Type	Stainless Steel	6000	1500	6.46	15.75	2"	1/4"
160	T-Type	Stainless Steel	1500	2700	4.52	24.5	1"	1/4"
161	T-Type	Stainless Steel	1500	2700	4.52	25.12	1 1/2"	1/4"
162	T-Type	Stainless Steel	1500	2700	4.52	25.12	2"	1/4"
160HHP	T-Type	Stainless Steel	6000	2700	6.46	24.41	1"	1/4"
161HHP	T-Type	Stainless Steel	6000	2700	6.46	24.41	1 1/2"	1/4"
162HHP	T-Type	Stainless Steel	6000	2700	6.46	24.41	2"	1/4"
160HP	T-Type	Stainless Steel	3000	2700	4.72	24.18	1"	1/4"
161HP	T-Type	Stainless Steel	3000	2700	4.72	24.18	1 1/2"	1/4"
162HP	T-Type	Stainless Steel	3000	2700	4.72	24.18	2"	1/4"
DV127G	Drain Vessel	SS / Pyrex	100	30	1.60	3.80	1/4"	1/4"
DV137G	Drain Vessel	SS / Pyrex	100	100	2.00	4.70	1/4"	1/4"
FD130	Float Drain	Stainless Steel	1500	30	1.80	3.60	1/4"	1/8"

United Filtration Systems, Inc
 6558 Diplomat Drive Sterling Heights, MI 48314
 T 586-802-5561 F 586-802-5562
 S sales@ufs-hf.com W www.ufs-hf.com
 FINE FILTRATION FOR INDUSTRY